




Downloaded from www.jneurosci.org at University of California, San Diego on September 11, 2012

Apomorphine Induced Rotational Response in Parkinsonian Rats Engrafted with KDR Selected Stem Cells




BEST AVAILABLE COPY

FIG. 1



BEST AVAILABLE COPY

FIG. 2





BEST AVAILABLE COPY

FIG. 3





FIG. 4


A



B




6/21




BEST AVAILABLE COPY

FIG. 6



BEST AVAILABLE COPY


FIG. 7a



BEST AVAILABLE COPY

FIG. 7b

9/21



BEST AVAILABLE COPY

FIG. 7c



BEST AVAILABLE COPY

FIG. 7d




BEST AVAILABLE COPY

FIG. 7e




BEST AVAILABLE COPY
FIG. 7f



BEST AVAILABLE COPY

FIG. 7g



BEST AVAILABLE COPY

FIG. 7h

15/21

BEST AVAILABLE COPY






FIG. 7i




BEST AVAILABLE COPY

FIG. 7j




BEST AVAILABLE COPY

FIG. 7k



BEST AVAILABLE COPY


FIG. 71



BEST AVAILABLE COPY


FIG. 7m

20/21



BEST AVAILABLE COPY

FIG. 7n



BEST AVAILABLE COPY

FIG. 8